

Slot Composition

Marcus Denker

Part 1: Introduction

Everything is an Object

Everything?

What about Variables?

```
Object subclass: #Point
  instanceVariableNames: 'x y'
  classVariableNames: ''
  package: 'Kernel-BasicObjects'
```

Instance Variables
Class Variable

They are not objects!

This is just a String!



```
Object subclass: #Point  
  instanceVariableNames: 'x y'  
  classVariableNames: ''  
  package: 'Kernel-BasicObjects'
```


Instance Variables
Class Variables

They are not objects!

**Not just definition, the
whole reflective API is
string / offset based!**

Point instVarNames

5@6 instVarAt: 1

5@6 instVarAt: 1 put: 2

5@6 instVarNamed: #x put: 2

We can do better!

We did do better!

Slots and ClassVariables in Pharo

Slots in 2 minutes

Slots: First Class Ivars

- Every instance variable definition is described an instance of Slot (or subclass)
- Compiler delegates code generation to Slot class
- You can easily make your own!
- A set of interesting Slots are emerging

Slots: First Class Ivars

```
Object subclass: #Point
  slots: { #x. #y }
  classVariables: { }
  package: 'Kernel-BasicObjects'
```

- For InstanceVariableSlot: we write just the #name
- Bytecode exactly the same as ST80 Instance Variables

Slots: API

```
pointXSlot := Point slotNamed: #x.
```

```
#we can read
```

```
pointXSlot read: (4@5).
```

```
pointXSlot write: 7 to: (4@5).
```

```
pointXSlot usingMethods.
```

```
pointXSlot astNodes.
```

```
pointXSlot assignmentNodes.
```

Slots: make your own

```
Slot subclass: #ExampleSlotWithState
  slots: { #value }
  classVariables: { }
  package: 'Slot-Examples-Base'
```

```
read: anObject
  ^ value
```

```
write: aValue to: anObject
  value := aValue
```

Slots: First Class Ivars

```
Object subclass: #MyClass
  slots: { #ivar => ExampleSlotWithState }
  classVariables: { }
  package: 'Kernel-BasicObjects'
```

- we can compile normal read and assignment
- state ends up in the slot (inspect the slot!)

Slots: more...

- **bytecode:** override `#emitStore:` and `#emitValue:`
- **class builder** calls `#installingIn:` on class creation
- **Initialize instances:** if `#wantsInitialization` is true, `#new` sends `#initialize:` to all slots with the new instance as parameter
- Slots can be **invisible** (just implement `#isVisible`)

Examples

- PropertySlot
- BooleanSlot
- UnlimitedInstanceVariableSlot
- HistorySlot
- ProcessLocalSlot
- ComputedSlot
- RelationSlot
- LazySlot
- InitializedSlot
- ComputedSlot
- SpObservableSlot
- WriteOnceSlot

Start to be used

- In Pharo:
 - Spec: Observable Slot
- Others:
 - Famix: relations, meta data (tag)
 - Typed Slots Project

Part 2: The Composition Problem

Let's take just two

- SpObservableSlot
- Slot with a default value (InitializedSlot or LazySlot)

Let's take just two

```
Object subclass: #MyClass2
  slots: { #ivar => LazySlot default: 5 }
  classVariables: { }
  package: 'Kernel-BasicObjects'
```

```
Object subclass: #MyClass2
  slots: { #ivar => SpObservableSlot}
  classVariables: { }
  package: 'Kernel-BasicObjects'
```

**I want a SpObservableSlot
with default value!**

What to do now?

**I could implement
LazyObservableSlot**

Combinatorial Explosion

- PropertySlot
- BooleanSlot
- UnlimitedInstanceVariableSlot
- HistorySlot
- ProcessLocalSlot
- ComputedSlot
- RelationSlot
- LazySlot
- InitializedSlot
- ComputedSlot
- SpObservableSlot
- WriteOnceSlot

SpObservableSlot + LazySlot default: 5

Let's take just two

```
Object subclass: #MyClass2
  slots: { #iv => SpObservableSlot + LazySlot default: 5 }
  classVariables: { }
  package: 'Examples'
```


It is not that simple

- We want to compose **instances**, not classes!
- We want to **combine** behaviour: e.g. three slots want to change what happens after a read
- Inheritance or Traits do not solve the problem

Kind of Slots

- Storage (“Implementation”)
- Decorators
- Wrappers

Storage

- Define how to store data.
- Examples: PropertySlots, InstanceVariableSlot, ComputedSlot
- It only makes sense to have one

Decorators

- Before / After read and write
- Initialize instances: slot gets notified on #new
- class builder hook on class creation
- Meta Data (e.g. tagged slot)
- We can combine as many decorators as we want!

Wrappers

- Wrap and write, unwrap on read
- Example: Weak Slot: Wrap into a Weak Array
- We have some of them, as they are simple to write:
 - Weak, ProcessLocal, History, WriteOnce

Wrappers: Problems

- Turns Write into a read on the outer slot.
- Can not compose easily (order!)
- **Weak + WriteOnce**: the history collection is weak!
- **WriteOnce + Weak**: Write goes to weak array

Wrappers

- Most (all?) wrappers can be implemented as decorators + additional hidden state.
- Let's support one wrapper for now

Solution

- ComposedSlot: a Slot composed of
 - One Storage Slot. InstanceVariableSlot is default
 - 0..n Decorators:
 - one Wrapper

InstanceVariable +
InitializedSlot default: 5

InitializedSlot default: 5

Reflective Read

```
read: anObject
  | value |
  self decorators do: [ :decorator |
    decorator beforeRead: anObject ].

value := self wrapperOrImplementor read: anObject.

self decorators reversDo: [ :decorator |
  decorator afterRead: anObject ].

^value.
```

Status

- Work in progress implementation
- Currently re-implement all existing Slots to be composable

Future Work

- Integrate with Pharo
- Use in Spec: SpObservable + Initialized, for example
- Unify variable definition for Class Variables and Slots

Questions?

InstanceVariable +
InitializedSlot default: 5